# POWER OF SEAMLESS LIFE

n

0

VESTEL

1 🚟 2 🚟





### ABOUT ZORLU HOLDING

Founded in 1953 and one of Türkiye's leading conglomerates, Zorlu Holding operates in various sectors, including textiles, consumer electronics, home appliances and mobility, energy, real estate, mining-metallurgy, tourism, and factoring. Zorlu Holding contributes significantly to the Turkish economy and holds an important share of the country's exports. With global production and service capabilities and an ecosystem of 80,000 people, including nearly 32,000 colleagues, suppliers, dealers and business partners, Zorlu Group is one of Türkiye's leading companies. We create value through our group companies by providing smart products, services and solutions for a smart and sustainable life. We export to over 163 countries worldwide and touch the lives of millions of people. With its deep expertise and industry experience of 70+ years, Zorlu Holding is driving innovation and remains a key contributor to Turkey's economy.

#### ZORLU HOLDING COMPANIES



### ZORLU TEXTILES

Zorlu Textiles Group is Europe's Largest Home Textile Producer with exports to 58 countries in 5 continents



ZORLU ENERGY

Globally integrated energy services with 30+ years of experience and extensive knowledge.



VESTEL Turkey's export champion in electronics industry for more than 26 years.



### NICKEL COBALT MINING

Turkey's first, Europe's unique nickel cobalt concentrate plant




ZORLU PROPERTY Close to 500 thousand visitors per annum

### ABOUT VESTEL GROUP

Vestel Group of Companies is a global technology company that stands out with its expertise in manufacturing, research & development, innovation, design, and brand management in the fields of consumer electronics, digital products, home appliances, and e-mobility. The group consists of 25 companies, 16 of which are located abroad.

Our core values are technology and human-centered transformation, creating accessible and smart solutions that make life easier, and building a net-zero emissions future. We aim to transform our corporate culture by harnessing the power of technology and digitalisation with a focus on people.




### VESTEL SUSTAINABILITY

At Vestel, we strive for sustainability and to improve our ESG (Environmental, Social, Governance) scorecard by being a pioneer in production processes, environmentally friendly products and contributing to the circular economy. This is a long and arduous journey. In this regard, we have Zorlu Holding's sustainability approach, The Smart Life 2030 vision, as a guide to lead us through this journey.


As Zorlu Holding, we are responding to the change in the world with our Smart Life 2030 strategy. With our responsible investment holding approach, which prioritizes opening new horizons, we focus on creating the highest value in environmental, social and governance (ESG) areas when investing for our group, our companies, our stakeholders, the society and the future.

We take an active role in achieving global goals and recognize that the solutions we find to today's problems in ESG areas must be equitable, inclusive and fair to ensure social well-being. With this belief, we invest in human-oriented ecosystems and regenerative business models, and draw strength from our radical collaborations.

Vestel, as part of Zorlu Holding, actively participates in and contributes to the Smart Life 2030 activities included in the sustainability vision of the Holding. Under the main strategies of preparing for the future with an innovative business model approach and developing people-oriented ecosystems, the company set sustainability targets in environmental, social and governance (ESG) areas. Vestel aligns its sustainability goals with the Smart Life 2030 vision, thereby contributing to Zorlu Holding's overall objectives.




2:The Vestel Supplier Monitoring and Development Program was launched to enable critical suppliers to effectively participate in sustainability processes and understand and improve their current levels



\*LSEG, reflects the score dated 24.12.2024.

GLOBAL LOCATIONS

Vestel has offices and sites across multiple countries, forming an extensive global footprint



#### VESTEL MOBILITY

#### Driving the Future of Sustainable Mobility and Energy Solutions

At Vestel Mobility, we are redefining the future of mobility and energy solutions with cutting-edge technology, regional collaboration, and sustainable practices. Since 2017, Vestel has been investing in the mobility sector, leveraging the industrial strength and expertise of Vestel Group, which boasts a 30-million-unit annual production capacity and exports to 163 countries. By embracing a friendshore approach highlights our commitment to delivering high-quality, regionally sourced solutions that foster reliability, sustainability, and trust in global markets.

With decades of local engineering and in-house design expertise, an unwavering commitment to innovation, and a proven track record as Turkey's leading exporter, we deliver advanced solutions in automotive electronics, EV charging systems, and energy storage technologies.

Building on a foundation of robust R&D capabilities and strong global partnerships including collaborations with TOGG, ZES, Trugo, Migros, Kalyon, Aksa, Aselsan, EDF, Dacia, Etrel, Charge Cloud, Electrip, EON, TOTAL Energies, Mer Group, Ebasto, Viessmann, Iberdrola and bp Pulse. Vestel Mobility is committed to creating revolutionary, tailor-made solutions for businesses and individuals driving toward a sustainable future.

#### Innovation and Expertise at Scale


Our journey began in 2013 with the establishment of our Automotive Electronics Division, and we have since achieved key milestones, from EV charger exports to auto electronics nominations and pioneering ESS battery systems. With a new state-of-the-art production facility set to open in 2025, spanning 52,000 square meters, Vestel Mobility is scaling operations to meet the growing demands of the global mobility market.

"Vestel Mobility is proud to be a part of leading global alliances and organizations shaping the future of energy and mobility, including E-Mobility Europe (Avere), CharlN, the Open Charge Alliance (OCA), the European Association for Storage of Energy (EASE), and the SAFE Initiative. These collaborations reflect our commitment to advancing industry standards and driving innovation through global cooperation."

#### Shaping What's Next

As we look to the future, Vestel Mobility is driven by a purpose: to create solutions that not only meet today's challenges but also anticipate the needs of tomorrow. Our unwavering focus on innovation, sustainability, and seamless integration empowers us to develop technologies that enrich lives and accelerate the transition to a cleaner, smarter world. By fostering collaboration across industries and continually investing in research and development, we remain committed to delivering value for our customers, partners, and communities worldwide.

# VESTEL HAS CENTRED ITS MAIN GROWTH STRATEGY AROUND MOBILITY AND HAS BEEN TAKING STEADY STEPS IN THE PAST 10 YEARS FOR THIS GOAL



#### **R&D KEY TECHNOLOGIES**

### Vestel Mobility provides top services and processes such as close engineering and R&D collaborations for increased product quality for its clients

- AFIR (Alternative Fuels Infrastructure Regulation)
- Discovery/installation/commissioning for TR
- Plug and Charge ISO15118
- Pen Protection
- Linky Compliance
- Cyber Security Regulation
- Compliant with Smart Charging Regulations

**AC CHARGER** 


- Solar Charging
- Dynamic Load Management over OCPP,
- EEBUS and Modbus TCP

- High Power Continuous Charging up to 750 A without derating up to 40C ambient temperatures. (Liquid cooled cables)
- High service life tested up to 50000 cycles for charging connectors
- Low self consumption in standby <100W</li>
- Modular Power Upgrade
- Cable Management
- Max Power 720kW (assembly in smaller power possible)
- High Power Continuous charging up to 750A at 40C ambient temperatures, no derating (Liquid Cooled cables)
- 10" to 27" touch display
- AutoCharge (Identification on via VID)
- Smart Charging over OCPP
- PAS & DIN18040-3 (Disable Friendly)
- Credit Card Terminal (including calibration law)
- Din Spec 70121 and ISO 15118-2
- Separate maintenance access by Vestel (Manufacturer OCPP Connection)
- High efficiencies up to 96 % using efficient design and components
- High up-time levels around 99,5 % for continuous operation

# DC CHARGER

- Customized user interface and branding
- German Calibration Law
- Conformity DSGVO (GDPR)
- Inclination Sensor
- OCPP 1.6J expandable to OCPP 2.0.1
- ISO15118-2

### VESTEL MOBILITY IS PROUD TO BE A PART OF LEADING GLOBAL ALLIANCES AND ORGANIZATIONS SHAPING THE FUTURE OF ENERGY AND MOBILITY





# QUALITY ASSURANCE

# Vestel Mobility covers many major approvals and standards with its variety of chargers



STANDARDS		
IEC 61000-6-2/3	IEC 62196-1/3	IEC 61851-1/22/23/24
ISO 15118-1/2/3	DIN 70121	IEC 60950-1/22
IEC TS-62763	IEC 62955	UL 2202
UL 2594	UL 2231-1/2	EN 61000-6-1/2/3/4
EN 301 489- 1/3/17/52	EN 300 328	EN 301 893

# SERVICE & SUPPORT

### Comprehensive Support & Maintenance for Charging Infrastructure

#### **1.REMOTE SUPPORT**

Leverage advanced remote diagnostics and expert intervention to ensure seamless operation. Our specialists provide real-time solutions, swiftly resolving technical issues to maximize uptime and operational efficiency.

#### 2.REMOTE DIAGNOSTICS

Continuous system monitoring enables predictive issue detection, mitigating potential failures before they occur. This proactive approach enhances device longevity, ensuring uninterrupted performance and an optimal charging experience.

#### **3.FIELD ENGINEERING SUPPORT**


Deploying highly skilled engineers for on-site interventions, we deliver rapid, precise solutions to optimize system performance. Our strategic maintenance approach minimizes disruptions and sustains peak operational efficiency.

#### 4.ON-SITE SUPPORT

With prompt, on-location technical resolutions, our teams ensure swift restoration of full functionality. In critical scenarios, we guarantee reliable emergency interventions to uphold seamless service continuity.

#### **5.CORRECTIVE & PREDICTIVE MAINTENANCE**

Through rigorous inspections and proactive maintenance, we mitigate risks and enhance system reliability. Our structured approach ensures optimal long-term performance, safeguarding uninterrupted charging operations.



# PRODUCTION

VESTEL , a global leader in electrification and automation, has established several state-of-the-art factories for the production of Electric Vehicle (EV) chargers and Battery Solutions (E-Bike / TBS / BSS). These facilities are equipped with cutting-edge technologies to meet the growing demand . Below are the key features of VESTEL's advanced EV / Battery manufacturing facilities, highlighting the company's commitment to high-quality production, innovation, and sustainability.

### AUTOMATION

VESTEL's EV charger factory utilize high levels of automation systems to ensure precision and efficiency in the manufacturing process of AC EVC Product, reducing human error and speeding up production.

#### FLEXIBLE AND SCALABLE PRODUCTION LINES

VESTEL's EVC factory are designed with modular production systems that can be easily adapted to different types of EV chargers (e.g., DC fast chargers, AC chargers, wall-box chargers, and high-power chargers). This allows VESTEL to quickly scale production based on market demand and deliver customized solutions to meet the needs of different customers. The modular design of production lines also enables VESTEL to efficiently configure chargers to specific client specifications, offering flexibility in terms of power ratings, connector types, and communication protocols.

#### **COMPREHENSIVE AND AUTOMATED TESTING SYSTEMS**

EV chargers undergo extensive testing throughout the production process. This includes electrical performance tests, safety tests, and thermal management assessments to ensure that the chargers meet global standards for safety, efficiency, and reliability. The factories use automated testing systems to perform high-speed checks on components and finished products. These systems ensure that every charger works correctly under real-world conditions, including high voltage, extreme temperatures, and sustained use.





# PRODUCT MATRIX

# ELECTRIC CHARGING STATIONS

# **DC PRODUCTS**

FAST DC CHARGERS

Vestel DC Pluto 60

Vestel DC Vesper 40

Vestel DC Spica 80

ULTRA-FAST DC CHARGERS

Vestel DC Sirius 160/240/320/400

Vestel DC Lyra 160/ 240/320/400

> Vestel DC Stella 720

# **AC PRODUCTS**

Vestel AC Rhea 7/11/22 Vestel AC Zenith 7/11/22 Vestel AC Libra 7/11/22

Vestel AC Quatro 7/11/22 Vestel AC Lou 7/11/22 Vestel AC Vario 7/11/22 Vestel AC Arch 7/11/22

Vestel AC Liveo 7/11/22 Vestel AC NewNow 7/11/22

Vestel AC Rigel Dual 44

Vestel AC Vega Dual 14/22/44

Vestel AC EVC10 Dual 14/22/44







# 

#### **OVERVIEW**

Vestel DC Pluto 60 is making urban fast charging look good. With up to two charging points in a solid enclosure and a small footprint it can deliver fast charging for urban areas.

# HIGHLIGHTS



Charging with up to 60 kW DC



Online via cellular, WLAN and LAN



Interaction via 10.4" touch display



DC charging of twoelectric vehicles in parallel



German calibration law from Q4/2024



Remote load management via OCPP





Max. charging power per charging point	Up to 60 kW DC output	
Charging connector	Single or Double CCS2 Cable	
Protection Class	IP 54, IK 10	
Connectivity (Optional)	Wifi, LAN, LTE	
IT backend connection	OCPP 1.6J	
Meter	MID meter (Option) Eichrecht compatible	
Energy-/load management	via OCPP	
Authorisation	RFID, Credit Card Terminal(Option), OCPP	
User Interface	10.4" Touch Screen, LED	
Credit Card Reader	Optional (Nayax, Payter Apollo options)	
Dimensions	1754x684x421mm	
Operational Conditions	-35 °C to +50 °C	

CE EICHRECHT

# 

#### **OVERVIEW**

Wall-mounted DC charger's standout feature lies in its compact design, ensuring easy installation anywhere, while delivering up to 40 kW of power with CCS2 plug compatibility

### HIGHLIGHTS



Charging with up to 40 kW DC



7" display

Online via cellular, WLAN and LAN



Hardware Ready forISO15118



German calibration law from Q2/2025



Remote load management via OCPP





Up to 40 kW DC output
Single CCS2 Cable
IP 54, IK 10
Wifi, LAN, LTE
OCPP 1.6J
MID meter (Option) Eichrecht compatible (Q2 / 2025)
via OCPP
RFID, Credit Card Terminal(Optional), OCPP
7" TFT, LED
Optional (Payter Apollo)
With hook
635 x 630 x 249mm
-35 °C to +50 °C

CE

# 

### **OVERVIEW**

Vestel DC Spica 80 is making urban fast charging look good. With up to two charging points in a solid enclosure and a small footprint it can deliver fast charging for urban areas.





Charging with up to 80 kW DC

Online via cellular, WLAN and LAN

<del>اب</del> <sup>ب</sup>د کی

Hardware ready for

ISO15118

HIGHLIGHTS



DC charging of two electric vehicles in parallel



Remote load management via OCPP



German calibration law from Q2/2025





Max. charging power per charging point	Up to 80 kW DC output	
Charging connector	Single or Double CCS2 Cable	
Protection Class	IP 54, IK 10	
Connectivity (Optional)	Wifi, LAN, LTE	
IT backend connection	OCPP 1.6J	
Meter	MID, Eichrecht compatible (Q1 / 2025)	
Energy-/load management	via OCPP	
Authorisation	RFID, Credit Card Terminal(Option), OCF	
User Interface	7" TFT Screen, LED	
Credit Card Reader	Optional (Payter Apollo)	
Dimensions	1500x684x421mm	
Operational Conditions	-35 °C to +50 °C	

CE

# **VESTEL DC SIRIUS 160/240/320/400/ VESTEL DC LYRA 160/240/320/400///**

### **OVERVIEW**

Vestel DC Sirius and DC Lyra are rapid charging points for electric vehicles enables scalable and retrofittable power levels up to 400 kW have a modern design and user-friendly interface, mainly for public commercial use. The modular design increases charger utilization and ease of operation and maintenance.



Ready for ISO 15118

17" or 27'

display

Connection to IT

backends via







Max. charging power per charging point	160/240/320/400 kW upgradable powe options	
Charging connector	CCS: Liquid cooled (500A) or derate cable (300A)	
Protection Class	IP 54, IK 10	
Connectivity (Optional)	Wifi, LAN, LTE	
IT backend connection	OCPP 1.6J	
Meter	MID meter (Optional) Eichrecht Compliant	
Energy-/load management	Via OCPP	
Authorisation	RFID, Credit Card Terminal(Option), OCPP	
Credit Card Reader	Optional(Payter Apollo or Nayax)	
User Interface	17" Touch Screen(DC Sirius), 27" Touch Screen option (DC Lyra) SOC LEDs	
Dimensions	2040x820x825mm	
Operational Conditions	-35 °C to +50 °C	
	CE	

# 

### **OVERVIEW**

Distribute 720 kW of power to sockets in the most efficient way, taking up less space.

### HIGHLIGHTS



Charging with up to 720 kW with continuous 750A liquid cable option



Online via cellular, WLAN and 4G/5G



Credit card reader



Connectionto IT backends via OCPP 1.6J and 2.0.1 upgradeable



Option for advertising on display



DC charging of double electric vehicles at same time for each dispenser by using one power cabinet








Max. charging power per charging point	4 Dispenser and 8 outlet Max 720 kW with 80 kW granularity	
Charging connector	Single or Dual CCS outlet with liquid cooled cable up to 750A	
Protection Class	IP 54, IK 10	
Connectivity (Optional)	Wifi, LAN, 4G/5G	
IT backend connection	OCPP 1.6J	
Meter	MID meter (Optional) Eichrecht Compliant	
Energy-/load management	Via OCPP	
Authorisation	RFID, Credit Card, OCPP	
User Interface	27" Display with advertisement	
Credit Card Reader	Optional (Payter Apollo or Nayax)	
Dimensions	Power Cabinet: 1950 x 1020 x 1350 Dispenser Unit: 2000 x 641 x 418	
Operational Conditions	-35 °C to +50 °C	

CE







# 

# 7/11/22

# OVERVIEW

The Rhea, Zennith, Libra series are the versatile all-rounder in the AC sector. Depending on the equipment, the charging station can be used simply in the private sector or with full equipment in professional use cases.

**HIGHLIGHTS** 



Up to 22 kW AC charging power for maximum charging speed with all EVs



Online via cellular, WLAN and LAN



Type A RCD or PEN can be integrated



ligh Secure Data Communication (For UK)



4.3" display




Remote and local load management



German calibration law (Eichrecht)

**٦** 

ISO15118-2 Certified by Hubject





Max. charging power per charging point	Up to 22 kW	
Charging connector	Type 2 socket, Type 2 Cable, (5 m and 7 m) Type 2 Shutter Socket, GB/T, Type 1 cable	
Protection Class	IP 54, IK 10	
Electrical Protection	RCD type A (optinal) DC-sensor 6mA PEN (1-phase for UK region) (Optional)	
Connectivity (Optional)	Wifi, LAN, LTE	
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)	
Meter	MID & Eichrechtskonform (optional)	
Energy-/load management	Potential Free Contact Modbus TCP/IP, EEBUS, OCPP	
Authorisation	RFID, App, ISO 15118 Plug & Charge (Optional)	
User Interface	4.3" TFT Screen (optional), LED	
Different Cabinets	Zenith, Libra, Rhea	
Dimensions	Rhea: 460x315x135 mm Zenith, Libra: 460x312x163 mm	
Operational Conditions	-35 °C to +55 °C	

# VESTEL AC QATRO//// VESTEL AC LOU /// VESTEL AC VARIO/// VESTEL AC ARCH ///

# 7/11/22

## **OVERVIEW**

Small but powerfull. Home charging should be seamless. Compact and future proof and offers a unique style factor.

HIGHLIGHTS



Up to 22 kW AC charging power for maximum charging speed with all EVs



**RFID** activation already included in the basic configuration

Compatible with Home Energy

Management System (HEMS)





Online via Cellular, WLAN and LAN









High Secure Data Communication





Max. charging power per charging point	Up to 22 kW
Charging connector	Type 2 Cable,
	(5 m and 7 m)
Protection Class	IP 54, IK 10
Electrical Protection	DC-sensor 6mA
	On-board PEN detection (for UK
	region) (Optional)
Connectivity (Optional)	Wifi, LAN, LTE (Optional)
IT backend connection	OCPP 1.6J
	(OCPP 2.0.1 Upgradeable)
Meter	NA
Energy-/load management	Potential Free Contact
	Modbus TCP/IP
Authorisation	RFID, Drive Green Next Mobile App
User Interface	LED
Different Cabinets	Quatro, Lou, Arch
	Vario
Dimensions	256x256x12 mm
Operational Conditions	-25 °C to +50 °C





# 7/11/22

### **OVERVIEW**

Update version of Rhea with more compact enclosure and new technologies. Thanks to ease of installation feature, Liveo and NewNow reduces installation durations significantly.



Up to 22 kW AC charging power for maximum charging speed with all EVs



Online via e-SIM, LTE, WLAN and LAN



On-board RCCB



**HIGHLIGHTS** 

High Secure Data Communication (For UK)



Easy installation and service



Local and remote load management possible




German calibration law (Q2 2025)



Hardware ready for ISO15118-2





Max. charging power per charging point	Up to 22 kW	
Charging connector	Type 2 socket, Type 2 Cable Type 2 Shutter Socket	, (5 m and 7 m)
Protection Class	IP 54, IK 10	
Electrical Protection	On-board RCCB DC-sensor	6mA
Connectivity (Optional)	Wifi, LAN, 4G/5G (Optional), e-SIM (Optional)	
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)	
Meter	MID meter (Optional) Eichrecht Compliant	
Energy-/load management	Potential Free Contact Modbus TCP/IP, EEBUS, Wi-Fi, OCPP	
Authorisation	RFID, App, ISO 15118 Plug & Charge (Optional)	
User Interface	4.3" TFT Screen (optional), LED	
Dimensions	383x259x191 mm	
Operational Conditions	-25 °C to +50 °C	
		CE



# 7/11/22

### **OVERVIEW**

Vestel AC Rigel Dual 44 is robust and perfectly equipped for public spaces. With two charging points in a solid form, charging infrastructure can be set up quickly and cost efficiently.

**HIGHLIGHTS** 



Up to 22 kW AC charging each charging socket



RFID activation already included in the basic configuration



Large Display



Online via cellular, WLAN and LAN



Vandal-proof metal body



Easy installation and service





Max. charging power per charging point	Up to 2x22 kW	
Charging connector	Type 2 socket or type 2 spira	l cable
Protection Class	IP 54, IK 10	
Electrical Protection	Main Circuit Breaker	
	RCD type A	
	DC-sensor 6mA	
	Option for remote reclosure	unit
Connectivity (Optional)	Wifi, LAN, LTE	
IT backend connection	OCPP 1.6J	
	(OCPP 2.0.1 Upgradeable)	
Meter	MID Approved meter	
Energy-/load management	via OCPP	
Authorisation	RFID, App.	
User Interface	10.4" Touch Screen, LED	
Different Cabinets	Quatro, Lou (Q1 2025), Arch	,
	Vario	
Dimensions	1530x575x205 mm	
Operational Conditions	-25 °C to +50 °C	
		CE


# 

# 14/22/44

### OVERVIEW

With its redesigned structure and more compact design, AC Vega can charge two vehicles simultaneously in urban applications without occupying much space. Its integrated protection eliminates the need for an external protection device, providing TCO savings.







	vesni. STA M
	-

Max. charging power per charging point	2 x up to 22 kW	
Charging connector	Type 2 socket, Type 2 shutter socket or type 2 spiral cable	
Protection Class	IP 54, IK 10	
Electrical Protection	Main Circuit Breaker RCD type A DC-sensor 6mA Back-pack for DNO Requirements (Optional)	
Connectivity (Optional)	Wifi, LAN, LTE	
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)	
Meter	MID Approved meter, Eichrechtskonform	
Energy-/load management	Modbus TCP/IP, OCPP	
Authorisation	RFID, App, Credit Card Terminal (Optional), ISO 15118 plug&Charge (Optional)	
User Interface	7" TFT, LED	
Dimensions	1300x350x210 mm	
Operational Conditions	-25 °C to +50 °C	



# 14/22/44

### **OVERVIEW**

Vestel AC EVC10 Dual is the perfect solution for private and semi-public applications. Double socket in a compact enclosure, simplifles cluster installations for mass charging requirement.

**HIGHLIGHTS** 



Up to 22 kW AC charging per charging socket



Online via cellular, WLAN and LAN



Local and remote load management



High secure data communication (For UK)



Easy installation and service



Large Display



**RFID** activation

**4**.%

Hardware ready for ISO15118 Plug&Charge





	2x7.4 kW
Max. charging power per charging point	2x7.4 kW 1x22 kW or 2x11 kW
	2x22 kW
Charging connector	Type 2 socket, Shutter socket or type
	2 spiral cable
Protection Class	IP 54, IK 10
Electrical Protection	RCD type A
	DC-sensor 6mA
	MCB (2x7.4 Kw version)
	RCBO (44 Kw version)
	PEN (1-phase for UK region)(Optional)
Connectivity (Optional)	Wifi, LAN, LTE (Optional)
IT backend connection	OCPP 1.6J
Meter	MID meter (Optional)
	Eichrecht compliant (Optional)
Energy-/load management	Modbus TCP/IP, OCPP
Authorisation	RFID, App, ISO 15118 Plug &Charge
	(Optional), OCPP
User Interface	7" TFT Screen, LED
Dimensions	540x640x315 mm
Operational Conditions	-25 °C to +50 °C




# CONTROL VESTEL AC CHARGER

# ANYTIME


# ANYWHERE

#### EVC WIZARD COMISSIONING

Technical simplicity, fast identification and configuration of Vestel Chargers Direct access via Wi-Fi Hotspot and reach out device settings easily Troubleshooting guide, fast detection and resolution Easy operation with user-friendly interface



#### DRIVE GREEN MOBILE APPLICATION



#### AN ECOSYSTEM PLATFORM SOLUTION

SmartCharge is the foundation of Smart Energy Management



#### SECONDARY MARKETS

- Carbon Credits
- Tariff Switching
- Data Analytics



# SMARTCHARGE

#### ASSETS UNDER MANAGEMENT

- Domestic EV Chargers
- Commercial EV Chargers
- Home Solar & Battery
- Bi-directional and Vehicle-to-Grid (V2G)

# SMARTENERGY

#### **ENERGY TRADING MARKETS**

- Demand Side Flexibility
- Balancing Mechanism
- Ancillary Services
- Capacity Markets



#### **ENERGY FLEXIBILITY**

• Discover, Profile, Aggregate, & Schedule Flexibility

#### THIRD PARTY ASSETS


- Access other EV Charger Networks
- Other Asset Classes, BMS, HEMS, EMS



- ✓ Target Market Segments
- ✓ Charger Manufacturers / Resellers
- Charge Point Operators
- System Operators (DSO, ESO)
- Energy Utilities
- Energy Traders
- Car OEMs



\*This application is only used in the UK region. It will come to other regions soon.





 PHONE: 90 - 236 233 25 82
 FAX: 90 - 236 233 25 84

 vesteltrade@vestel.com.tr
 www.vestelinternational.com

 Organize Sanayi Bölgesi, 45030 Manisa/Turkey