

POWER OF SEAMLESS LIFE

VESTEL

MOBILITY





ABOUT ZORLU HOLDING

Founded in 1953 and one of Türkiye's leading conglomerates, Zorlu Holding operates in various sectors, including textiles, consumer electronics, home appliances and mobility, energy, real estate, mining-metallurgy, tourism, and factoring. Zorlu Holding contributes significantly to the Turkish economy and holds an important share of the country's exports. Among the top 3 groups in Turkey in terms of employment creation. One of Turkey's 7 biggest exporters. We create value through our group companies by providing smart products, services and solutions for a smart and sustainable life. We export to over 160 countries worldwide and touch the lives of millions of people. With its deep expertise and industry experience of 70+ years, Zorlu Holding is driving innovation and remains a key contributor to Turkey's economy.

ZORLU HOLDING COMPANIES



ZORLU TEXTILES

Zorlu Textiles Group is Europe's Largest Home Textile Producer with exports to 58 countries in 5 continents



ZORLU ENERGY

Globally integrated energy services with 30+ years of experience and extensive knowledge



VESTEL

Turkey's export champion in electronics industry for more than 28 years



NICKEL COBALT MINING

Turkey's first, Europe's unique nickel cobalt concentrate plant



ZORLU PROPERTY

Turkey's first 5 function complex

ABOUT VESTEL GROUP

Vestel Group of Companies is a global technology company that stands out with its expertise in manufacturing, research & development, innovation, design, and brand management in the fields of consumer electronics, digital products, home appliances, and e-mobility. The group consists of 31 companies, 20 of which are located abroad.

Our core values are technology and human-centered transformation, creating accessible and smart solutions that make life easier, and building a net-zero emissions future. We aim to transform our corporate culture by harnessing the power of technology and digitalisation with a focus on people.

28 Years

Consecutive Export
Champion of Turkey

1.300.000m²

Closed Production Area

Among the top
5 players in

Europe LCD TV market

13

Sales Offices
Around the World

Exporting
160+
Countries

Among the top
7 manufacturers in
Europe white goods market.

30MN
Device Production
Capacity

13+
Brands

+14
Factories

900+
Customers

VESTEL SUSTAINABILITY


At Vestel, we strive for sustainability and to improve our ESG (Environmental, Social, Governance) scorecard by being a pioneer in production processes, environmentally friendly products and contributing to the circular economy. This is a long and arduous journey. In this regard, we have Zorlu Holding's sustainability approach, The Smart Life 2030 vision, as a guide to lead us through this journey.

As Zorlu Holding, we are responding to the change in the world with our Smart Life 2030 strategy. With our responsible investment holding approach, which prioritizes opening new horizons, we focus on creating the highest value in environmental, social and governance (ESG) areas when investing for our group, our companies, our stakeholders, the society and the future.

We take an active role in achieving global goals and recognize that the solutions we find to today's problems in ESG areas must be equitable, inclusive and fair to ensure social well-being. With this belief, we invest in human-oriented ecosystems and regenerative business models, and draw strength from our radical collaborations.

Vestel, as part of Zorlu Holding, actively participates in and contributes to the Smart Life 2030 activities included in the sustainability vision of the Holding. Under the main strategies of preparing for the future with an innovative business model approach and developing people-oriented ecosystems, the company set sustainability targets in environmental, social and governance (ESG) areas. Vestel aligns its sustainability goals with the Smart Life 2030 vision, thereby contributing to Zorlu Holding's overall objectives.

VESTEL'S VISION



To be a technology company creating social and environmental benefits through accessible and smart products that make life easier

Decreased the carbon footprint of Vestel Companies' import ship loadings by 85%

100 of Vestel's critical suppliers completed the Vestel sustainability audit

1: As a result of using ECO DELIVERY (replacing fossil fuels with green fuels) for import ships

2: The Vestel Supplier Monitoring and Development Program was launched to enable critical suppliers to effectively participate in sustainability processes and understand and improve their current levels



LSEG DATA & ANALYTICS



Climate Change



Water Security



S&P Global

*Reflects the score as of February 23, 2026.

GLOBAL LOCATIONS

Vestel has offices and sites across multiple countries, forming an extensive global footprint.



OFFICES



Driving the Future of Sustainable Mobility and Energy Solutions

At Vestel Mobility, we are redefining the future of mobility and energy solutions with cutting-edge technology, regional collaboration, and sustainable practices. Since 2017, Vestel has been investing in the mobility sector, leveraging the industrial strength and expertise of Vestel Group, which boasts a 30-million-unit annual production capacity and exports to 160 countries. By embracing a friendshoring approach highlights our commitment to delivering high-quality, regionally sourced solutions that foster reliability, sustainability, and trust in global markets.

With decades of local engineering and in-house design expertise, an unwavering commitment to innovation, and a proven track record as Turkey's leading exporter, we deliver advanced solutions in automotive electronics, EV charging systems, and energy storage technologies.

Building on a foundation of robust R&D capabilities and strong global partnerships including collaborations with TOGG, ZES, Trugo, Migros, Kalyon, Aksa, Aselsan, EDF, Dacia, Etrek, Charge Cloud, Electrip, EON, TOTAL Energies, Mer Group, Webasto, Viessmann, Iberdrola and ZEBORNE. Vestel Mobility is committed to creating revolutionary, tailor-made solutions for businesses and individuals driving toward a sustainable future.

Innovation and Expertise at Scale

Our journey began in 2013 with the establishment of our Automotive Electronics Division, and we have since achieved key milestones, from EV charger exports to auto electronics nominations and pioneering ESS battery systems.

"Vestel Mobility is proud to be a part of leading global alliances and organizations shaping the future of energy and mobility, including E-Mobility Europe (Avere), CharIN, the Open Charge Alliance (OCA), the European Association for Storage of Energy (EASE), and the SAFE Initiative. These collaborations reflect our commitment to advancing industry standards and driving innovation through global cooperation."

Shaping What's Next

As we look to the future, Vestel Mobility is driven by a purpose: to create solutions that not only meet today's challenges but also anticipate the needs of tomorrow. Our unwavering focus on innovation, sustainability, and seamless integration empowers us to develop technologies that enrich lives and accelerate the transition to a cleaner, smarter world. By fostering collaboration across industries and continually investing in research and development, we remain committed to delivering value for our customers, partners, and communities worldwide.

VESTEL HAS CENTERED ITS MAIN GROWTH STRATEGY AROUND MOBILITY AND
HAS BEEN TAKING STEADY STEPS IN THE PAST 10 YEARS FOR THIS GOAL



2013

Automotive Electronics
Division is formed
EVC focused R&D Team



2016

First nomination
for EVC



2018

Became 24% shareholder of
Turkey's Automobile Enterprise
Group (TOGG)
First EVC export
Battery focused R&D Team



2020

First in vehicle display nomination
IATF-16949 Certification for
Auto Electronics
Expansion into ESS batteries, by
developing low-voltage solutions



2021

IDCC & TCU Auto
Electronics nomination
First DC-EVC sale



2022

First display shipment
+61k units EVC export
First e-mobility battery sales



2023

First BCM Auto Elec. Nomination
First ESS Sales



2024

- Vestel Mobility formed
- New production plant move started
- Utility production line investment made



2025

First Battery-Integrated
EVC System Installation in the EU

R & D KEY TECHNOLOGIES

Vestel Mobility provides top services and processes such as close engineering and R&D collaborations for increased product quality for its clients


- AFIR (Alternative Fuels Infrastructure Regulation)
- Discovery/installation/commissioning for TR
- Plug and Charge ISO15118
- ISO15118-20
- Pen Protection
- Linky Compliance
- Cyber Security Regulation
- Compliant with Smart Charging Regulations
- Solar Charging
- Dynamic Load Management over OCPP,
- EEBUS and Modbus TCP

AC CHARGER




- High Power Continuous Charging up to 750 A without derating up to 40C ambient temperatures. (Liquid cooled cables)
- High service life tested up to 50000 cycles for charging connectors
- Low self consumption in standby <100W
- Modular Power Upgrade
- Cable Management
- Max Power 720kW (assembly in smaller power possible)
- High Power Continuous charging up to 750A at 40C ambient temperatures, no derating (Liquid Cooled cables)
- 10" to 27" touch display
- AutoCharge (Identification on via VID)
- Smart Charging over OCPP
- PAS & DIN18040-3 (Disable Friendly)
- Credit Card Terminal (including calibration law)
- Din Spec 70121 and ISO 15118-2
- Separate maintenance access by Vestel (Manufacturer OCPP Connection)
- High efficiencies up to 96 % using efficient design and components
- High up-time levels around 99,5 % for continuous operation

DC CHARGER



- Customized user interface and branding
- German Calibration Law
- Conformity DSGVO (GDPR)
- Inclination Sensor
- OCPP 1.6J expandable to OCPP 2.0.1
- ISO15118-2

VESTEL MOBILITY IS PROUD TO BE A PART OF LEADING GLOBAL ALLIANCES AND ORGANIZATIONS SHAPING THE FUTURE OF ENERGY AND MOBILITY



**ACCREDITED SAFETY AND
EMC LABORATORIES**



**3RD PARTY CERTIFICATION
LABORATORIES AND APPROVALS**



EICHRECHT



QUALITY ASSURANCE



APPROVALS



STANDARDS

IEC / EN 62619

IEC 60730

EU Battery Regulation
(2023/1542)

IEC / EN 63056

PCS Grid Certificates

ISO9001

IEC 60529 (IP Test)

CE

EN 62477

IEC 61000 (EMC)

MSDS / SDS

EN62109

UN38.3

EN 62281

ISO 13849

SERVICE & SUPPORT

Comprehensive Support & Maintenance

1.REMOTE SUPPORT

Leverage advanced remote diagnostics and expert intervention to ensure seamless operation. Our specialists provide real-time solutions, swiftly resolving technical issues to maximize uptime and operational efficiency.

2.REMOTE DIAGNOSTICS

Continuous system monitoring enables predictive issue detection, mitigating potential failures before they occur. This proactive approach enhances device longevity, ensuring uninterrupted performance and an optimal charging experience.

3.FIELD ENGINEERING SUPPORT


Deploying highly skilled engineers for on-site interventions, we deliver rapid, precise solutions to optimize system performance. Our strategic maintenance approach minimizes disruptions and sustains peak operational efficiency.

4.ON-SITE SUPPORT

With prompt, on-location technical resolutions, our teams ensure swift restoration of full functionality. In critical scenarios, we guarantee reliable emergency interventions to uphold seamless service continuity.

5.CORRECTIVE & PREDICTIVE MAINTENANCE

Through rigorous inspections and proactive maintenance, we mitigate risks and enhance system reliability. Our structured approach ensures optimal long-term performance, safeguarding uninterrupted charging operations.



PRODUCTION

VESTEL, a global leader in electrification and advanced manufacturing, has established state-of-the-art Gigafactory with GWh-scale production capacity dedicated to the assembly of high-performance battery systems. These world-class facilities are designed to meet the growing global demand for both e-mobility and stationary energy storage with high-precision automated assembly technologies. Highlighting our commitment to vertical integration, quality, and scalability, VESTEL controls the entire manufacturing ecosystem—from printed circuit board assembly to complete system integration.

DUAL-LINE CELL ASSEMBLY: CYLINDRICAL & PRISMATIC

To cater to diverse market needs, VESTEL operates two specialized, fully automated production lines:

ESS Battery Line (Prismatic Cells): Optimized for robust, heavy-duty prismatic cells, delivering the high capacity, thermal stability, and long cycle life required for Residential, Commercial & Industrial (C&I) and Utility-Scale Energy Storage Systems.

E-Mobility Battery Line (Cylindrical Cells): High-precision manufacturing of compact, high-density battery packs for e-mobility and micro-mobility.

AUTOMATION & HIGH-PRECISION LASER WELDING

Both production lines utilize advanced robotics and state-of-the-art laser welding technology for cell-to-busbar connections. This automated process ensures exceptionally low contact resistance, superior electrical conductivity, and high mechanical integrity. By precisely controlling heat input and minimizing thermal stress on the cells, our laser welding eliminates micro-damage, guarantees long-term durability, and ensures absolute consistency across GWh-scale outputs.

IN-HOUSE BMS MANUFACTURING (SMT LINES)

To guarantee unmatched reliability and seamless hardware-software integration, VESTEL manufactures its proprietary Battery Management Systems (BMS) and other electronic cards entirely in-house.

COMPREHENSIVE AND AUTOMATED TESTING SYSTEMS

Our quality assurance process is fully integrated into the automated production flow. Battery modules and complete packs undergo multi-stage inspections, including automated 3D optical inspection (AOI) of laser welds, insulation and dielectric strength tests, and comprehensive BMS communication verification. Before shipment, every finished product undergoes rigorous End-of-Line (EOL) testing under simulated real-world conditions—including high-voltage loads and thermal stress cycles—to guarantee 100% operational safety and reliability.



VESTEL
MOBILITY

PRODUCT MATRIX

ELECTRIC CHARGING STATIONS

ULTRA-FAST DC CHARGERS

Vestel EVC03 160/240/320/400	18-19
Vestel DC Stella 720	20-21
Vestel DC Stella S 720	22-23
Vestel DC Stella MW 1.2	24-25

FAST DC CHARGERS

Vestel DC Spica L 160	22-23
Vestel DC Spica 80	26-27
Vestel DC Vesper 40	28-29
Vestel DC Vesper M 40	30-31

AC PRODUCTS

Vestel AC Liveo	30-31
Vestel AC Vega Dual 14/22/44	32-33
Vestel AC Quatro, Vestel AC Lou	34-35
Vestel AC Rhea, Vestel AC Zenith, Vestel AC Libra 7/11/22	38-39
Vestel AC Gemini Dual 14/22/44	40-41

DC PRODUCTS



VESTEL
MOBILITY



VESTEL EVC03

160-240-320-400

OVERVIEW

Vestel EVC03 160-240-320-400 are rapid charging points for electric vehicles enables scalable and retrofittable power levels up to 400 kW have a modern design and user-friendly interface, mainly for public commercial use. The modular design increases charger utilization and ease of operation and maintenance.

HIGHLIGHTS



Charging with up to 400 kW with continuous 500A liquid cable option



Online via cellular, WLAN and LAN



DC charging of two electric vehicles in parallel



Remote load management via OCPP



17" display



Ready for ISO 15118



Connection to IT backends via OCPP 1.6J



German calibration law compliant





TECHNICAL DATA

Max. charging power per charging point	160/240/320/400 kW upgradable power options
Charging connector	CCS: Liquid cooled (500A) or derate cable (300A)
Protection Class	IP 55, IK 10
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J
Meter	MID meter (Optional) Eichrecht Compliant
Energy-/load management	Via OCPP
Authorisation	RFID, Credit Card Terminal(Optional), OCPP
Credit Card Reader	Optional (Nayax VPOS, Pax IM30(V2), Payter Apollo)
User Interface	17" Touch Screen (VESTEL EVC03 160-240-320-400), SOC LEDs
Dimensions	2040x820x825mm
Operational Conditions	-35 °C to +50 °C



DC STELLA SERIES



VESTEL
MOBILITY



**POWER
THE MEGAWATT
CHARGING**

VESTEL DC STELLA 720

OVERVIEW

Distribute 720 kW of power to sockets in the most efficient way, taking up less space.

HIGHLIGHTS



Charging with up to 720 kW with continuous 750A liquid cable option



Online via LAN and cellular



Connection to IT backends via OCPP 1.6J and 2.0.1 upgradeable



DC charging of double electric vehicles at same time for each dispenser by using one power cabinet



Credit card reader



Option for advertising on display




German calibration law compliant



Hardware ready for ISO15118





TECHNICAL DATA

Max. charging power per charging point	4 Dispenser and 8 outlet Max 720 kW with 80 kW granularity
Charging connector	Single or Dual CCS outlet with liquid cooled cable up to 750A
Protection Class	IP 54, IK 10
Connectivity (Optional)	LAN, 4G/5G
IT backend connection	OCPP 1.6J
Meter	MID meter (Optional) Eichrecht Compliant
Energy-/load management	Via OCPP
Authorisation	RFID, Credit Card, OCPP
User Interface	27" Display with advertisement
Credit Card Reader	Optional (Nayax VPOS, Pax IM30(V2), Castles S1U2, Payter Apollo)
Dimensions	Power Cabinet: 1950 x 1020 x 1350 Dispenser Unit: 2000 x 641 x 418
Operational Conditions	-35 °C to +50 °C



VESTEL DC STELLA S 720

OVERVIEW

Distribute 720 kW of power to sockets in the most efficient way, taking up less space.

HIGHLIGHTS



Charging with up to 720 kW with maximum 600A non-liquid cable option



Online via LAN and cellular



Connection to IT backends via OCPP 1.6J and 2.0.1 upgradeable



Hardware ready for ISO15118



Credit card reader




DC charging of double electric vehicles at same time for each dispenser by using



German calibration law compliant





TECHNICAL DATA

Max. charging power per charging point	4 Dispenser and outlet Max 720 kW with 80/120 kW granularity
Charging connector	Dual CCS2 outlet Non-liquid cable up to 600A Integrated Cable Management System
Protection Class	IP 54, IK 10
Connectivity (Optional)	LAN, 4G
IT backend connection	OCPP 1.6J
Meter	MID meter (Optional) Eichrecht Compliant
Energy-/load management	Via OCPP
Authorisation	RFID, Credit Card, OCPP
User Interface	10.1" Display
Credit Card Reader	Optional (Nayax VPOS, Pax IM30(V2), Castles S1U2, Payter Apollo)
Dimensions	Power Cabinet: 1950 x 1020 x 1350 Dispenser Unit: 2260 x 735 x 350
Operational Conditions	-35 °C to +50 °C



VESTEL DC STELLA MW 1.2

OVERVIEW

The 1.2 MW Megawatt Charging System delivers ultra-fast, high-efficiency power for next-generation heavy-duty vehicle electrification.

HIGHLIGHTS



Charging with up to 1.2 MW with maximum 1500A MCS interface



Online via LAN and cellular



Connection to IT backends via OCPP 1.6J and 2.0.1 upgradeable



Hardware ready for ISO15118




Credit card reader



DC charging of double electric vehicles at same time for each dispenser by using one power





TECHNICAL DATA

Power Output	Up to 1.2 MW
Charging connector	Megawatt Charging System (MCS) CCS2 (Optional) Integrated Cable Management System
Connectivity (Optional)	LAN, 4G
IT backend connection	OCPP 1.6J
Meter	MID meter (Optional)
Energy-/load management	OCPP 1.6J
Authorisation	RFID, Credit Card, OCPP
User Interface	10.1" Touchscreen
Credit Card Reader	Optional (Nayax VPOS, Pax IM30(V2), Castles S1U2, Payter Apollo)
Dimensions	Power Cabinet: 2365 x 2360 x 1000 Dispenser Unit: 2260 x 735 x 350
Operational Conditions	-35 °C to +50 °C



VESTEL DC SPICA L 160

OVERVIEW

Designed for versatility, our dual-outlet system provides seamless charging for two vehicles simultaneously—ideal for malls, hotels, and parking hubs looking to optimize their EV infrastructure.

HIGHLIGHTS



Charging with up to
160 kW DC



Online via cellular,
WLAN and LAN



Hardware ready for
ISO15118



DC charging of two
electric vehicles
in parallel




Remote load
management via
OCPP




7" display



German calibration
law compliant





TECHNICAL DATA

Max. charging power per charging point	Up to 160 kW DC output
Charging connector	Double CCS2 Cable
Protection Class	IP 55, IK 10
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J
Meter	MID meter (Option)
Energy-/load management	via OCPP
Authorisation	RFID, Credit Card Terminal(Optional), OCPP
User Interface	7" TFT Screen, LED
Credit Card Reader	Optional (Nayax VPOS, Pax IM30(V2), Castles S1U2, Payter Apollo)
Dimensions	1500x684x560mm
Operational Conditions	-35 °C to +50 °C



VESTEL DC SPICA 80

OVERVIEW

Vestel DC Spica 80 is making urban fast charging look good. With up to two charging points in a solid enclosure and a small footprint it can deliver fast charging for urban areas.

HIGHLIGHTS



Charging with up to
80 kW DC



Online via cellular,
WLAN and LAN



Hardware ready for
ISO15118



DC charging of two
electric vehicles
in parallel




Remote load
management via
OCPP



7" display



German calibration
law from





TECHNICAL DATA

Max. charging power per charging point	Up to 80 kW DC output
Charging connector	Single or Double CCS2 Cable
Protection Class	IP 55, IK 10
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J
Meter	MID, Eichrecht compatible
Energy-/load management	via OCPP
Authorisation	RFID, Credit Card Terminal(Optional), OCPP
User Interface	7" TFT Screen, LED
Credit Card Reader	Optional (Nayax VPOS, Pax IM30(V2), Castles S1U2, Payter Apollo)
Dimensions	1500x684x421mm
Operational Conditions	-35 °C to +50 °C



VESTEL DC VESPER 40

OVERVIEW

Wall-mounted DC charger's standout feature lies in its compact design, ensuring easy installation anywhere, while delivering up to 40 kW of power with CCS2 plug compatibility

HIGHLIGHTS



Charging with up to
40 kW DC



Online via cellular,
WLAN and LAN



Hardware Ready
for ISO15118



Remote load
management via
OCPP



7" display



German calibration
law





TECHNICAL DATA

Max. charging power per charging point	Up to 40 kW DC output
Charging connector	Single CCS2 Cable
Protection Class	IP 54, IK 10
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J
Meter	MID meter (Option) Eichrecht compatible
Energy-/load management	via OCPP
Authorisation	RFID, Credit Card Terminal(Optional), OCPP
User Interface	7" TFT, LED
Credit Card Reader	Optional (Payter Apollo, PAX IM30)
Cable Management	With hook
Dimensions	635 x 630 x 249mm
Operational Conditions	-35 °C to +50 °C



VESTEL DC VESPER M 40

OVERVIEW

Delivering 40 kW DC power, this versatile portable solution combines high-speed performance with a user-friendly interface—ideal for EV service centers and flexible fleet operations.

HIGHLIGHTS



Charging with up to
40 kW DC



Online via cellular,
WLAN and LAN



Hardware Ready
for ISO15118



7" display



Remote load
management via
OCPP





TECHNICAL DATA

Max. charging power per charging point	Up to 40 kW DC output
Charging connector	Single CCS2 Cable
Protection Class	IP 54, IK 10
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J
Energy-/load management	via OCPP
Authorisation	RFID, OCPP
User Interface	7" TFT, LED
Dimensions	895 x 774 x 530mm
Operational Conditions	-35 °C to +50 °C

CE

AC PRODUCTS



VESTEL
MOBILITY



VESTEL AC LIVEO

7 / 11 / 22

OVERVIEW

Update version of Rhea with more compact enclosure and new technologies. Thanks to ease of installation feature, Liveo reduces installation durations significantly.

HIGHLIGHTS



Up to 22 kW AC charging power for maximum charging speed with all EVs



Online via e-SIM, LTE, WLAN and LAN



Compliant with cyber security requirements



Local and remote load management possible



Ready for ISO15118-2 and ISO15118-20



On-board RCCB



Easy installation and service



German calibration law compliant





TECHNICAL DATA

Max. charging power per charging point	Up to 22 kW
Charging connector	Type 2 socket, Type 2 Cable, (5 m and 7 m) Type 2 Shutter Socket
Protection Class	IP 54, IK 10
Electrical Protection	On-board RCCB DC-sensor 6mA
Connectivity (Optional)	Wifi, LAN, 4G/5G (Optional), e-SIM (Optional)
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)
Meter	MID meter (Optional) Eichrecht Compliant
Energy-/load management	Potential Free Contact Modbus TCP/IP, EEBUS, Wi-Fi, OCPP
Authorisation	RFID, App, ISO 15118 Plug & Charge (Optional)
User Interface	4.3" TFT Screen (optional), LED
Dimensions	383x259x191 mm
Operational Conditions	-25 °C to +50 °C



VESTEL AC VEGA DUAL

14 / 22 / 44

OVERVIEW

With its redesigned structure and more compact design, AC Vega can charge two vehicles simultaneously in urban applications without occupying much space. Its integrated protection eliminates the need for an external protection device, providing TCO savings.

HIGHLIGHTS



Up to 22 kW AC charging each charging socket



Online via cellular, WLAN and LAN



Compliant with cyber security requirements



Large Display



Ready for ISO15118-2 and ISO15118-20



Vandal-proof metal body



Easy installation and service



RFID activation already included in the basic configuration





TECHNICAL DATA

Max. charging power per charging point	2 x up to 22 kW
Charging connector	Type 2 socket, Type 2 shutter socket
Protection Class	IP 54, IK 10
Electrical Protection	Main Circuit Breaker RCD type A DC-sensor 6mA Back-pack for DNO Requirements (Optional)
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)
Meter	MID Approved meter, Eichrecht compliant
Energy-/load management	Modbus TCP/IP, OCPP
Authorisation	RFID, App, Credit Card Terminal (Optional), ISO 15118 plug&Charge (Optional)
User Interface	7" TFT, LED
Dimensions	1300x350x210 mm
Operational Conditions	-25 °C to +50 °C



VESTEL AC QUATRO - VESTEL AC LOU

7 / 11 / 2 2

OVERVIEW

Small but powerfull. Home charging should be seamless. Compact and future proof and offers a unique style factor.

HIGHLIGHTS



Up to 22 kW AC charging power for maximum charging speed with all EVs



RFID activation already included in the basic configuration



Online via Cellular, WLAN and LAN



Wireless Configuration



Compatible with Home Energy Management System (HEMS)



Compliant with cyber security requirements





TECHNICAL DATA

Max. charging power per charging point	Up to 22 kW
Charging connector	Type 2 Cable, (5 m and 7 m)
Protection Class	IP 54, IK 10
Electrical Protection	DC-sensor 6mA On-board PEN detection (for UK region) (Optional)
Connectivity (Optional)	Wifi, LAN, LTE (Optional)
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)
Meter	NA
Energy-/load management	Potential Free Contact Modbus TCP/IP
Authorisation	RFID, Drive Green Next Mobile App
User Interface	LED
Different Cabinets	Quatro, Lou
Dimensions	256x256x12 mm
Operational Conditions	-25 °C to +50 °C



VESTEL AC RHEA - VESTEL AC ZENITH VESTEL AC LIBRA

7 / 11 / 22

OVERVIEW

The Rhea, Zennith, Libra series are the versatile all-rounder in the AC sector. Depending on the equipment, the charging station can be used simply in the private sector or with full equipment in professional use cases.

HIGHLIGHTS



Up to 22 kW AC charging power for maximum charging speed with all EVs



Online via cellular, WLAN and LAN



Compliant with cyber security requirements



Remote and local load management



Ready for ISO15118-2 and ISO15118-20



Type A RCD or PEN can be integrated



4.3" display



German calibration law compliant





TECHNICAL DATA

Max. charging power per charging point	Up to 22 kW
Charging connector	Type 2 socket, Type 2 Cable, (5 m and 7 m) Type 2 Shutter Socket, GB/T, Type 1 cable
Protection Class	IP 54, IK 10
Electrical Protection	RCD type A (optional) DC-sensor 6mA PEN (1-phase for UK region) (Optional)
Connectivity (Optional)	Wifi, LAN, LTE
IT backend connection	OCPP 1.6J (OCPP 2.0.1 Upgradeable)
Meter	MID & Eichrecht compliant (optional)
Energy-/load management	Potential Free Contact Modbus TCP/IP, EEBUS, OCPP
Authorisation	RFID, App, ISO 15118 Plug & Charge (Optional)
User Interface	4.3" TFT Screen (optional), LED
Different Cabinets	Zenith, Libra, Rhea
Dimensions	Rhea: 460x315x135 mm Zenith, Libra: 460x312x163 mm
Operational Conditions	-35 °C to +55 °C



VESTEL AC GEMINI DUAL

14 / 22 / 44

OVERVIEW

Vestel AC Gemini Dual is the perfect solution for private and semi-public applications. Double socket in a compact enclosure, simplifies cluster installations for mass charging requirement.

HIGHLIGHTS



Up to 22 kW AC charging per socket



Online via cellular, WLAN and LAN



Compliant with cyber security requirements



Large Display



Ready for ISO15118-2 and ISO15118-20



Local and remote load management



Easy installation and service



RFID activation already included in the basic configuration



German calibration law compliant





TECHNICAL DATA

Max. charging power per charging point	2x7.4 kW 1x22 kW or 2x11 kW 2x22 kW
Charging connector	Type 2 socket, Shutter socket or type 2 spiral cable
Protection Class	IP 54, IK 10
Electrical Protection	RCD type A DC-sensor 6mA MCB (2x7.4 Kw version) RCBO (44 Kw version) PEN (1-phase for UK region)(Optional)
Connectivity (Optional)	Wifi, LAN, LTE (Optional)
IT backend connection	OCPP 1.6J
Meter	MID meter (Optional) Eichrecht compliant (Optional)
Energy-/load management	Modbus TCP/IP, OCPP
Authorisation	RFID, App, ISO 15118 Plug &Charge (Optional), OCPP
User Interface	7" TFT Screen, LED
Dimensions	540x640x315 mm
Operational Conditions	-25 °C to +50 °C



MOBILE APPLICATION

CONTROL VESTEL AC CHARGER

ANYTIME

ANYWHERE


EVC WIZARD COMMISSIONING

Technical simplicity, fast identification and configuration of Vestel Chargers

Direct access via Wi-Fi Hotspot and reach out device settings easily

Troubleshooting guide, fast detection and resolution

Easy operation with user-friendly interface



DRIVE GREEN MOBILE APPLICATION

Start-Stop Function

Eco-charge Timer


Load Management

Follow the Sun Mode

Monitor Charging History

Cable Docking

Randomize Delay (in UK)



AN ECOSYSTEM PLATFORM SOLUTION
SmartCharge is the foundation of Smart Energy Management

SMARTDATA

SECONDARY MARKETS

- Carbon Credits
- Tariff Switching
- Data Analytics



SMARTENERGY

ENERGY TRADING MARKETS

- Demand Side Flexibility
- Balancing Mechanism
- Ancillary Services
- Capacity Markets

SMARTCHARGE

ASSETS UNDER MANAGEMENT

- Domestic EV Chargers
- Commercial EV Chargers
- Home Solar & Battery
- Bi-directional and Vehicle-to-Grid (V2G)



SMARTFLEX

ENERGY FLEXIBILITY

- Discover, Profile, Aggregate, & Schedule Flexibility

THIRD PARTY ASSETS

- Access other EV Charger Networks
- Other Asset Classes, BMS, HEMS, EMS



- | | |
|---|--|
| ☒ Target Market Segments | ☒ Energy Utilities |
| ☒ Charger Manufacturers / Resellers | ☒ Energy Traders |
| ☒ Charge Point Operators | ☒ Car OEMs |
| ☒ System Operators (DSO, ESO) | |

*This application is only used in the UK region. It will come to other regions soon.

NOTES

VESTEL

MOBILITY

PHONE: 90 - 236 233 25 82 FAX: 90 - 236 233 25 84

vesteltrade@vestel.com.tr | www.vestelinternational.com | www.vestelmobility.com

Organize Sanayi Bölgesi, 45030 Manisa/Turkey

